

# Distributed Systems

---

**Thoai Nam**

Faculty of Computer Science and Engineering

HCMC University of Technology



# References

---

1. George Coulouris, Jean Dillimore, Tim Kindberg, ***Distributed Systems: Concepts and Design***, Addison-Wesley, 2000.
2. Andrew S. Tanenbaum, **Distributed Operating Systems**, Prentice Hall, 1990.
3. ***Nancy Lynch, Distributed Algorithms, Morgan Kaufmann, 1997.***



# Syllabus

---

<i>Chương</i>	<i>Nội dung</i>	<i>Khối lượng</i>					<i>Tài liệu tham khảo</i>
		<i>TS</i>	<i>LT</i>	<i>(BT)</i>	<i>(TH, TN)</i>	<i>(TL)</i>	
1	Giới thiệu Hệ phân bố		2				1, 2
2	Giao tiếp giữa các quá trình		2				1, 2
3	Dịch vụ File		2				1,2
4	Dịch vụ tên		2				1,2
5	Thời gian và vấn đề đồng bộ		2				1,2
6	Bảo mật						1 (Self-study)
7	Giải thuật phân bố						3 (Self-study)
8	Định thời biểu cho chương trình						1,2 (Self-study)
9	Ôn tập		3				

---



# Chapter 1: Introduction

---

- ❑ Distributed Systems
- ❑ Hardware & software
- ❑ Transparency
- ❑ Scalability
- ❑ Distributed OS



# Definition of a Distributed System

---

- ❑ What is a distributed system?
  - Multiple connected CPUs working together
  - A collection of independent computers that appears to its users as a single coherent system [Tanenbaum]
  - One in which components located at networked computers communicate and coordinate their actions by only message passing [Coulouris].



# Examples of Distributed Systems

---

- Parallel machines, networked machines
- **Cluster**: “A type of parallel or distributed processing system, which consists of a collection of interconnected **stand-alone** computers cooperatively **working together** as a single, integrated computing resource” [Buyya]
- **Grid**: “A type of parallel and distributed system that enables the sharing, selection, and aggregation of geographically distributed **autonomous** resources dynamically at runtime **depending on** their availability, capability, performance, cost, and users' quality-of-service requirements” [Buyya]
- **Cloud**: “A Cloud is a type of parallel and distributed system consisting of a collection of interconnected and **virtualized computers** that are dynamically provisioned and presented as one or more unified computing resources based on **service-level agreements** established through negotiation between the service provider and consumers” [Buyya]



# Advantages and Disadvantages

---

## □ Advantages

- Communication and resource sharing possible
- Economics – price-performance ratio
- Reliability, scalability
- Potential for incremental growth

## □ Disadvantages

- Distribution-aware PLs, OSs and applications
- Network connectivity essential
- Security and privacy



# Transparency in a Distributed System

<b>Transparency</b>	<b>Description</b>
<b>Access</b>	Hide differences in data representation and how a resource is accessed
<b>Location</b>	Hide where a resource is located
<b>Migration</b>	Hide that a resource may move to another location
<b>Relocation</b>	Hide that a resource may be moved to another location while in use
<b>Replication</b>	Hide that a resource may have many copies
<b>Concurrency</b>	Hide that a resource may be shared by several competitive users
<b>Failure</b>	Hide the failure and recovery of a resource
<b>Persistence</b>	Hide whether a (software) resource is in memory or on disk

Different forms of transparency in a distributed system.





# Scalability Problems

---

<b>Concept</b>	<b>Example</b>
Centralized services	A single server for all users
Centralized data	A single on-line telephone book
Centralized algorithms	Doing routing based on complete information


Examples of scalability limitations



# Hardware Concepts: Multiprocessors (1)

---


- ❑ Multiprocessor dimensions
  - Memory: could be shared or be private to each CPU
  - Interconnect: could be shared (bus-based) or switched
- ❑ A bus-based multiprocessor.






# Multiprocessors (2)

- a) A crossbar switch      b) An omega switching network



(a)




(b)




# Homogeneous Multicomputer Systems

a) Grid



(a)

b) Hypercube



(b)



# Distributed Systems Models

---

- ❑ Minicomputer model
  - Each user has local machine
  - Local processing but can fetch remote data (files, databases)
- ❑ Workstation model
  - Processing can also migrate
- ❑ Client-server Model
  - User has local workstation
  - Powerful workstations serve as servers (file, print, DB servers)
- ❑ Processor pool model
  - Terminals are Xterms or diskless terminals
  - Pool of backend processors handle processing



# Uniprocessor Operating Systems

---


- ❑ An OS acts as a resource manager or an arbitrator
  - Manages CPU, I/O devices, memory
- ❑ OS provides a virtual interface that is easier to use than hardware
- ❑ Structure of uniprocessor operating systems
  - Monolithic (e.g., MS-DOS, early UNIX)
    - » One large kernel that handles everything
  - Layered design
    - » Functionality is decomposed into N layers
    - » Each layer uses services of layer N-1 and implements new service(s) for layer N+1



# Uniprocessor Operating Systems

## Microkernel architecture

- Small kernel
- User-level servers implement additional functionality





# Distributed Operating System

---

- ❑ Manages resources in a distributed system
  - Seamlessly and transparently to the user
- ❑ Looks to the user like a centralized OS
  - But operates on multiple independent CPUs
- ❑ Provides transparency
  - Location, migration, concurrency, replication,...
- ❑ Presents users with a virtual uniprocessor





# Types of Distributed OSs

<b>System</b>	<b>Description</b>	<b>Main Goal</b>
DOS	Tightly-coupled operating system for multi-processors and homogeneous multicomputers	Hide and manage hardware resources
NOS	Loosely-coupled operating system for heterogeneous multicomputers (LAN and WAN)	Offer local services to remote clients
Middleware	Additional layer atop of NOS implementing general-purpose services	Provide distribution transparency




# Multiprocessor Operating Systems

---

- ❑ Like a uniprocessor operating system
- ❑ Manages multiple CPUs transparently to the user
- ❑ Each processor has its own hardware cache
  - Maintain consistency of cached data




# Multicomputer Operating Systems





# Network Operating System (1)


---





# Network Operating System (2)


- Employs a client-server model
  - Minimal OS kernel
  - Additional functionality as user processes





# Middleware-based Systems

- General structure of a distributed system as middleware.





# Comparison between Systems

Item	Distributed OS		Network OS	Middleware-based OS
	Multiproc.	Multicomp.		
Degree of transparency	Very High	High	Low	High
Same OS on all nodes	Yes	Yes	No	No
Number of copies of OS	1	N	N	N
Basis for communication	Shared memory	Messages	Files	Model specific
Resource management	Global, central	Global, distributed	Per node	Per node
Scalability	No	Moderately	Yes	Varies
Openness	Closed	Closed	Open	Open