

# **MPI**

---

**THOAI NAM**



# Outline

---

- Communication modes
  - MPI – Message Passing Interface Standard
-



# TERMs (1)

---

## ❑ Blocking

If return from the procedure indicates the user is allowed to reuse resources specified in the call

## ❑ Non-blocking

If the procedure may return before the operation completes, and before the user is allowed to reuse resources specified in the call

## ❑ Collective

If all processes in a process group need to invoke the procedure

## ❑ Message envelope

Information used to distinguish messages and selectively receive them

<source, destination, tag, communicator>

---



# TERMs (2)

---

## □ Communicator

- The communication context for a communication operation
- Messages are always received within the context they were sent
- Messages sent in different contexts do not interfere
- `MPI_COMM_WORLD`

## □ Process group

- The communicator specifies the set of processes that share this communication context.
  - This process group is ordered and processes are identified by their rank within this group
-





**MPI**

---

- Environment
  - Point-to-point communication
  - Collective communication
  - Derived data type
  - Group management
-



# MPI





# Environment

---

- MPI\_INIT
  - MPI\_COMM\_SIZE
  - MPI\_COMM\_RANK
  - MPI\_FINALIZE
  - MPI\_ABORT
-



# MPI\_Init

---

## □ Usage

- `int MPI_Init( int* argc_ptr, /* in */  
                  char** argv_ptr[] ); /* in */`

## □ Description

- Initialize MPI
- All MPI programs must call this routines once and only once before any other MPI routines



# MPI\_Finalize

---

## □ Usage

```
int MPI_Finalize (void);
```

## □ Description

- Terminates all MPI processing
- Make sure this routine is the last MPI call.
- All pending communications involving a process have completed before the process calls **MPI\_FINALIZE**





# MPI\_Comm\_Size

---

## □ Usage

```
int MPI_Comm_size( MPI_Comm comm, /* in */  
                   int* size );           /* out */
```

## □ Description

- Return the number of processes in the group associated with a communicator



# MPI\_Comm\_Rank

---

## □ Usage

- `int MPI_Comm_rank ( MPI_Comm comm,/* in */  
                      int* rank ); /* out */`

## □ Description

- Returns the rank of the local process in the group associated with a communicator
- The rank of the process that calls it in the range from 0 ... size - 1



# MPI\_Abort

---

## □ Usage

- ```
int MPI_Abort( MPI_Comm comm, /* in */
                  int errorcode );           /* in */
```

## □ Description

- Forces all processes of an MPI job to terminate



# Simple Program

---

```
#include "mpi.h"

int main( int argc, char* argv[] )
{
    int rank;
    int nproc;

    MPI_Init( &argc, &argv );
    MPI_Comm_size( MPI_COMM_WORLD, &nproc );
    MPI_Comm_rank( MPI_COMM_WORLD, &rank );
    /* write codes for you */
    MPI_Finalize();
}
```

---



# Point-to-Point Communication

---

- MPI\_SEND
  - MPI\_RECV
  - MPI\_ISEND
  - MPI\_IRecv
  - MPI\_WAIT
  - MPI\_GET\_COUNT
-



# Communication Modes in MPI (1)

---

## □ Standard mode

- It is up to MPI to decide whether outgoing messages will be buffered
- Non-local operation
- Buffered or synchronous?

## □ Buffered(asynchronous) mode

- A send operation can be started whether or not a matching receive has been posted
- It may complete before a matching receive is posted
- Local operation





# Communication Modes in MPI (2)

---

## □ Synchronous mode

- A send operation can be started whether or not a matching receive was posted
  - The send will complete successfully only if a matching receive was posted and the receive operation has started to receive the message
  - The completion of a synchronous send not only indicates that the send buffer can be reused but also indicates that the receiver has reached a certain point in its execution
  - Non-local operation
-



# Communication Modes in MPI (3)

---

## □ Ready mode

- A send operation may be started only if the matching receive is already posted
- The completion of the send operation does not depend on the status of a matching receive and merely indicates the send buffer can be reused
- EAGER\_LIMIT of SP system





# MPI\_Send

---

## □ Usage

```
int MPI_Send( void* buf,                      /* in */  
              int count,                     /* in */  
              MPI_Datatype datatype, /* in */  
              int dest,                      /* in */  
              int tag,                       /* in */  
              MPI_Comm comm );             /* in */
```

## □ Description

- Performs a blocking standard mode send operation
  - The message can be received by either **MPI\_RECV** or **MPI\_IRecv**
-



# MPI\_Recv

## □ Usage


```
int MPI_Recv( void* buf,                      /* out */
              int count,                     /* in */
              MPI_Datatype datatype,/* in */
              int source,                    /* in */
              int tag,                      /* in */
              MPI_Comm comm,                /* in */
              MPI_Status* status );        /* out */
```

## □ Description


- Performs a blocking receive operation
- The message received must be less than or equal to the length of the receive buffer
- MPI\_RECV can receive a message sent by either MPI\_SEND or MPI\_ISEND



## Process 0



## Process 1





# Sample Program for Blocking Operations (1)

---

```
#include "mpi.h"

int main( int argc, char* argv[] )
{
    int rank, nproc;
    int isbuf, irbuf;

    MPI_Init( &argc, &argv );
    MPI_Comm_size( MPI_COMM_WORLD, &nproc );
    MPI_Comm_rank( MPI_COMM_WORLD, &rank );
```



# Sample Program for Blocking Operations (2)

---

```
if(rank == 0) {  
    isbuf = 9;  
    MPI_Send( &isbuf, 1, MPI_INTEGER, 1, TAG,  
              MPI_COMM_WORLD);  
} else if(rank == 1) {  
    MPI_Recv( &irbuf, 1, MPI_INTEGER, 0, TAG,  
              MPI_COMM_WORLD, &status);  
    printf( "%d\n", irbuf );  
}  
MPI_Finalize();  
}
```

---



# MPI\_Isend

---

## □ Usage

```
int MPI_Isend( void* buf,                      /* in */  
               int count,                     /* in */  
               MPI_Datatype datatype,       /* in */  
               int dest,                      /* in */  
               int tag,                       /* in */  
               MPI_Comm comm,                 /* in */  
               MPI_Request* request );      /* out */
```

## □ Description

- Performs a nonblocking standard mode send operation
  - The send buffer may not be modified until the request has been completed by `MPI_WAIT` or `MPI_TEST`
  - The message can be received by either `MPI_RECV` or `MPI_IRecv`.
-



# MPI\_Irecv (1)

---

## □ Usage

```
int MPI_Irecv( void* buf,                      /* out */  
               int count,                     /* in */  
               MPI_Datatype datatype, /* in */  
               int source,                    /* in */  
               int tag,                      /* in */  
               MPI_Comm comm,                 /* in */  
               MPI_Request* request ); /* out */
```



# **MPI\_Irecv (2)**

---

## □ Description

- Performs a nonblocking receive operation
  - Do not access any part of the receive buffer until the receive is complete
  - The message received must be less than or equal to the length of the receive buffer
  - **MPI\_IRecv** can receive a message sent by either **MPI\_Send** or **MPI\_Isend**
-



# MPI\_Wait

---

## □ Usage


- ```
int MPI_Wait( MPI_Request* request,      /* inout */
               MPI_Status* status );      /* out */
```

## □ Description


- Waits for a nonblocking operation to complete
- Information on the completed operation is found in status.
- If wildcards were used by the receive for either the source or tag, the actual source and tag can be retrieved by `status->MPI_SOURCE` and `status->MPI_TAG`



## Process 0



## Process 1





# MPI\_Get\_count

---

## □ Usage

- `int MPI_Get_count( MPI_Status status, /* in */  
 MPI_Datatype datatype, /* in */  
 int* count ); /* out */`

## □ Description

- Returns the number of elements in a message
- The datatype argument and the argument provided by the call that set the status variable should match



# Sample Program for Non-Blocking Operations (1)

---

```
#include "mpi.h"
int main( int argc, char* argv[] )
{
    int rank, nproc;
    int isbuf, irbuf, count;
    MPI_Request request;
    MPI_Status status;

    MPI_Init( &argc, &argv );
    MPI_Comm_size( MPI_COMM_WORLD, &nproc );
    MPI_Comm_rank( MPI_COMM_WORLD, &rank );

    if(rank == 0) {
        isbuf = 9;
        MPI_Isend( &isbuf, 1, MPI_INTEGER, 1, TAG, MPI_COMM_WORLD,
                   &request );
```



# Sample Program for Non-Blocking Operations (2)

---

```
} else if (rank == 1) {  
    MPI_Irecv( &irbuf, 1, MPI_INTEGER, 0, TAG,  
               MPI_COMM_WORLD, &request);  
    MPI_Wait(&request, &status);  
    MPI_Get_count(&status, MPI_INTEGER, &count);  
    printf( "irbuf = %d source = %d tag = %d count = %d\n",  
           irbuf, status.MPI_SOURCE, status.MPI_TAG, count);  
}  
MPI_Finalize();  
}
```



# Collective Operations

---

- MPI\_BCAST
  - MPI\_SCATTER
  - MPI\_SCATTERV
  - MPI\_GATHER
  - MPI\_GATHERV
  - MPI\_ALLGATHER
  - MPI\_ALLGATHERV
  - MPI\_ALLTOALL
-



# MPI\_Bcast (1)

---

## □ Usage


```
– int MPI_Bcast( void* buffer,          /* inout */  
                  int count,           /* in */  
                  MPI_Datatype datatype, /* in */  
                  int root,            /* in */  
                  MPI_Comm comm);      /* in */
```

## □ Description

- Broadcasts a message from root to all processes in communicator
- The type signature of count, datatype on any process must be equal to the type signature of count, datatype at the root



# MPI\_Bcast (2)





# MPI\_Scatter

---

## □ Usage

```
int MPI_Scatter( void* sendbuf,          /* in */  
                 int sendcount,        /* in */  
                 MPI_Datatype sendtype, /* in */  
                 void* recvbuf,        /* out */  
                 int recvcount,        /* in */  
                 MPI_Datatype recvtype, /* in */  
                 int root,             /* in */  
                 MPI_Comm comm); /* in */
```

## □ Description

- Distribute individual messages from root to each process in communicator
  - Inverse operation to MPI\_GATHER
-



# Example of MPI\_Scatter (1)

---

```
#include "mpi.h"
```

```
int main( int argc, char* argv[] )  
{  
    int i;  
    int rank, nproc;  
    int isend[3], irecv;  
  
    MPI_Init( &argc, &argv );  
    MPI_Comm_size( MPI_COMM_WORLD, &nproc );  
    MPI_Comm_rank( MPI_COMM_WORLD, &rank );
```

---



# Example of MPI\_Scatter (2)


---

```
if(rank == 0) {  
    for(i=0; i<nproc; i++)  
        isend(i) = i+1;  
}  
MPI_Scatter( isend, 1, MPI_INTEGER, irecv, 1,  
            MPI_INTEGER, 0, MPI_COMM_WORLD);  
printf("irecv = %d\n", irecv);  
  
MPI_Finalize();  
}
```

---



# Example of MPI\_Scatter (3)





# MPI\_Scatterv

---

## □ Usage

```
int MPI_Scatterv( void* sendbuf,          /* in */
                  int* sendcounts,      /* in */
                  int* displs,          /* in */
                  MPI_Datatype sendtype,/* in */
                  void* recvbuf,        /* in */
                  int recvcount,         /* in */
                  MPI_Datatype recvtype,/* in */
                  int root,              /* in */
                  MPI_Comm comm);       /* in */
```

## □ Description

- Distributes individual messages from root to each process in communicator
  - Messages can have different sizes and displacements
-



# Example of MPI\_Scatterv(1)

---

```
#include "mpi.h"
int main( int argc, char* argv[] )
{
    int i;
    int rank, nproc;
    int iscnt[3] = {1,2,3}, irdisp[3] = {0,1,3};
    int isend[6] = {1,2,2,3,3,3}, irecv[3];

    MPI_Init( &argc, &argv );
    MPI_Comm_size( MPI_COMM_WORLD, &nproc );
    MPI_Comm_rank( MPI_COMM_WORLD, &rank );
```

---



# Example of MPI\_Scatterv(2)

---

```
ircnt = rank + 1;
```

```
MPI_Scatterv( isend, iscnt, idisp, MPI_INTEGER, irecv,  
    ircnt, MPI_INTEGER, 0, MPI_COMM_WORLD);
```

```
printf("irecv = %d\n", irecv);
```


```
MPI_Finalize();
```

```
}
```

---



comm





# MPI\_Gather

---

## □ Usage

```
int MPI_Gather( void* sendbuf,          /* in */  
                int sendcount,        /* in */  
                MPI_Datatype sendtype, /* in */  
                void* recvbuf,         /* out */  
                int recvcount,        /* in */  
                MPI_Datatype recvtype, /* in */  
                int root,              /* in */  
                MPI_Comm comm );      /* in */
```

## □ Description

- Collects individual messages from each process in communicator to the root process and store them in rank order



# Example of MPI\_Gather (1)

---

```
#include "mpi.h"

int main( int argc, char* argv[] )
{
    int i;
    int rank, nproc;
    int isend, irecv[3];

    MPI_Init( &argc, &argv );
    MPI_Comm_size( MPI_COMM_WORLD, &nproc );
    MPI_Comm_rank( MPI_COMM_WORLD, &rank );
```




# Example of MPI\_Gather (2)

---

```
isend = rank + 1;  
MPI_Gather( &isend, 1, MPI_INTEGER, irecv, 1,  
            MPI_INTEGER, 0, MPI_COMM_WORLD);  
  
if(rank == 0) {  
    for(i=0; i<3; i++)  
        printf("irecv = %d\n", irecv[i]);  
  
    MPI_Finalize();  
}
```



# MPI\_Gather





# MPI\_Gatherv

---

## □ Usage

```
int MPI_Gatherv( void* sendbuf,          /* in */  
                  int sendcount,        /* in */  
                  MPI_Datatype sendtype, /* in */  
                  void* recvbuf,        /* out */  
                  int* recvcount,       /* in */  
                  int* displs,          /* in */  
                  MPI_Datatype recvtype, /* in */  
                  int root,             /* in */  
                  MPI_Comm comm );     /* in */
```

## □ Description

- Collects individual messages from each process in communicator to the root process and store them in rank order



# Example of MPI\_Gatherv (1)

---

```
#include "mpi.h"
```

```
int main( int argc, char* argv[] )  
{  
    int i;  
    int rank, nproc;  
    int isend[3], irecv[6];  
    int ircnt[3] = {1,2,3}, idisp[3] = {0,1,3};
```

```
    MPI_Init( &argc, &argv );  
    MPI_Comm_size( MPI_COMM_WORLD, &nproc );  
    MPI_Comm_rank( MPI_COMM_WORLD, &rank );
```

---



# Example of MPI\_Gatherv (2)


---

```
for(i=0; i<rank; i++)
    isend[i] = rank + 1;
iscnt = rank + 1;
MPI_Gatherv( isend, iscnt, MPI_INTEGER, irecv, ircnt,
             idisp, MPI_INTEGER, 0, MPI_COMM_WORLD);
if(rank == 0) {
    for(i=0; i<6; i++)
        printf("irecv = %d\n", irecv[i]);
}
MPI_Finalize();
}
```

---



comm





# MPI\_Reduce (1)

---

## □ Usage

```
int MPI_Reduce( void* sendbuf,          /* in */
                 void* recvbuf,         /* out */
                 int count,            /* in */
                 MPI_Datatype datatype, /* in */
                 MPI_Op op,             /* in */
                 int root,              /* in */
                 MPI_Comm comm);      /* in */
```



# MPI\_Reduce (2)

---

## □ Description

- Applies a reduction operation to the vector sendbuf over the set of processes specified by communicator and places the result in recvbuf on root
- Both the input and output buffers have the same number of elements with the same type
- Users may define their own operations or use the predefined operations provided by MPI

## □ Predefined operations

- MPI\_SUM, MPI\_PROD
- MPI\_MAX, MPI\_MIN
- MPI\_MAXLOC, MPI\_MINLOC
- MPI\_LAND, MPI\_LOR, MPI\_LXOR
- MPI\_BAND, MPI\_BOR, MPI\_BXOR





# Example of MPI\_Reduce

---

```
#include "mpi.h"
int main( int argc, char* argv[] )
{
    int rank, nproc;
    int isend, irecv;


    MPI_Init( &argc, &argv );
    MPI_Comm_size( MPI_COMM_WORLD, &nproc );
    MPI_Comm_rank( MPI_COMM_WORLD, &rank );

    isend = rank + 1;
    MPI_Reduce(&isend, &irecv, 1, MPI_INTEGER, MPI_SUM, 0,
               MPI_COMM_WORLD);
    if(rank == 0) printf("irecv = %d\n", irecv);
    MPI_Finalize();
}
```

---




# MPI\_Reduce





# MPI\_Reduce





# MPI\_Scan

---

## □ Usage

```
int MPI_Scan( void* sendbuf,          /* in */  
              void* recvbuf,         /* out */  
              int count,             /* in */  
              MPI_Datatype datatype, /* in */  
              MPI_Op op,             /* in */  
              MPI_Comm comm);       /* in */
```

## □ Description

- Performs a parallel prefix reduction on data distributed across a group
- The operation returns, in the receive buffer of the process with rank i, the reduction of the values in the send buffers of processes with ranks 0...i



# Example of MPI\_Scan

---

```
#include "mpi.h"
int main( int argc, char* argv[] )
{
    int rank, nproc;
    int isend, irecv;


    MPI_Init( &argc, &argv );
    MPI_Comm_size( MPI_COMM_WORLD, &nproc );
    MPI_Comm_rank( MPI_COMM_WORLD, &rank );

    isend = rank + 1;
    MPI_Scan(&isend, &irecv, 1, MPI_INTEGER, MPI_SUM,
             MPI_COMM_WORLD);
    printf("irecv = %d\n", irecv);
    MPI_Finalize();
}
```

---



# MPI\_Scan





# MPI\_Barrier

---

## □ Usage

```
int MPI_Barrier(MPI_Comm comm); /* in */
```

## □ Description

- Blocks each process in communicator until all processes have called it
-